

PRESS RELEASE

CRITICAL ELEMENTS LITHIUM CONFIRMS MAJOR DISCOVERY AT ROSE WEST WITH MULTIPLE WIDE LITHIUM-RICH INTERCEPTS

HIGHLIGHTS

- 1.31% Li₂O and 235 ppm Ta₂O₅ over 40.40 m, including 1.64% Li₂O and 219 ppm Ta₂O₅ over 22.50 m in hole RD-24-20
- 2.22% Li₂O and 95 ppm Ta₂O₅ over 20.30 m, including 2.78% Li₂O and 92 ppm Ta₂O₅ over 10.50 m in hole RD-24-23A
- 1.30% Li₂O and 142 ppm Ta₂O₅ over 31.60 m, including 1.59% Li₂O and 130 ppm Ta₂O₅ over 25.50 m in hole RD-24-22
- 1.43% Li₂O and 178 ppm Ta₂O₅ over 24.95 m, including 1.91% Li₂O and 145 ppm Ta₂O₅ over 13.50 m in hole RD-24-16A
- 1.16% Li₂O and 145 ppm Ta₂O₅ over 24.30 m, including 1.41% Li₂O et 159 ppm Ta₂O₅ over 10.50 m in hole RD-24-21
- 1.66% Li₂O and 180 ppm Ta₂O₅ over 12.20 m, including 2.34% Li₂O and 153 ppm Ta₂O₅ over 7.50 m in hole RD-24-07

April 15th, **2024** - MONTRÉAL, QUÉBEC – Critical Elements Lithium Corporation (TSX-V: CRE) (US OTCQX: CRECF) (FSE: F12) (**"Critical Elements"** or the **"Corporation"**) is pleased to announce the most recent results from the winter 31-hole, 3,670-meter drill program on its 100% owned Rose West Discovery with multiple wide intersections of lithium-rich pegmatites.

The Rose West Discovery ("Rose West") is situated within the Rose and Rose South property blocks (Figure 1), which constitute 395 km², or only 38% of the total 1,050 km² in the Corporation's highly prospective exploration portfolio in Québec.

The 2024 winter drill campaign successfully completed 3,670 meters of drilling in 31 holes on the spodumene-bearing pegmatite showings discovered during the 2023 summer prospecting campaign, herein referred to as Rose West. Drilling results to date have demonstrated the continuity of a mineralized pegmatite body, which thus far extends over 450 m strike, 370 m down dip and to a vertical depth of 140 m. In the west, the body is comprised of multiple near surface mineralized pegmatites that range up to an apparent thickness of 12.40 m individually. These bodies appear to coalesce into a more substantial spodumene-bearing pegmatite in the east with an apparent width of up to 40.40 m. The near surface pegmatites appear to strike northwesterly with a gentle dip of 15°, while the thicker pegmatite appears to strike easterly with a near-horizontal dip of 13°. The body is still open in all directions, while the greatest exploration potential appears to be to the east.

New assay results from the drill program have been received for fourteen new drillholes. Several of the new drillhole results returned wide high grade lithium assays, as highlighted:

- 1.31% Li₂O and 235 ppm Ta₂O₅ over 40.40 m, including 1.64% Li₂O and 219 ppm Ta₂O₅ over 22.50 m in hole RD-24-20
- 2.22% Li₂O and 95 ppm Ta₂O₅ over 20.30 m, including 2.78% Li₂O and 92 ppm Ta₂O₅ over 10.50 m in hole RD-24-23A
- 1.30% Li₂O and 142 ppm Ta₂O₅ over 31.60 m, including 1.59% Li₂O and 130 ppm Ta₂O₅ over 25.50 m in hole RD-24-22

- 1.43% Li₂O and 178 ppm Ta₂O₅ over 24.95 m, including 1.91% Li₂O and 145 ppm Ta₂O₅ over 13.50 m in hole RD-24-16A
- 1.16% Li₂O and 145 ppm Ta₂O₅ over 24.30 m, including 1.41% Li₂O et 159 ppm Ta₂O₅ over 10.50 m in hole RD-24-21
- 1.66% Li₂O and 180 ppm Ta₂O₅ over 12.20 m, including 2.34% Li₂O and 153 ppm Ta₂O₅ over 7.50 m in hole RD-24-07
- 2.16% Li₂O and 81 ppm Ta₂O₅ over 6.70 m in hole RD-24-06
- 1.55% Li₂O and 105 ppm Ta₂O₅ over 9,00 m, including 2.41% Li₂O and 90 ppm Ta₂O₅ over 4.50 m in hole RD-24-08

In addition to these early intersections of lithium-rich pegmatites, the program also discovered a different style of mineralization associated with an aplite dyke with high grade tantalum values, including 2009 ppm Ta_2O_5 over 0.70m in hole RD-24-07. A summary of the assay results received to date is presented in **Table 1** and in **Figures 2 to 7**. Results of the last batch of assays will be released as soon as they are received and compiled, as expected over the next few weeks.

"It is very satisfying that assay results continue to confirm the discovery at Rose West, as well as the efficacy of our exploration model," observed Chief Executive Officer of the Corporation, Jean-Sébastien Lavallée. "We look forward to launching follow up drill programs to extend Rose West, Rose Lithium-Tantalum, and the mineralization at Lemare and Duval, not to mention applying our proven exploration model to test new targets identified on Critical Elements' extensive land package." He added, "Management continues to work diligently to deliver a financing package for the Rose Lithium-Tantalum Project that minimizes shareholder dilution."


Table 1: Results from Rose West Discovery 2024 winter drill program

Drillhole	UTM NA	D 83 ZN18	Length	Azimuth	Dip	From	То	Interval**	Li ₂ O	Ta₂O₅	Lithology	
	Easting	Northing	(m)	(°)	(°)	(m)	(m)	(m)	(%)	ppm (g/t)		
RD-24-01*	411119	5763973	153.00	235	-50	6.80	13.70	6.90	1.61	135	Pegmatite	
including						7.70	12.00	4.30	2.17	77	Pegmatite	
						24.00	25.10	1.10	0.02	571	Aplite	
						95.10	102.80	7.70	0.03	374	Pegmatite	
RD-24-02*	411104	5763903	156.00	325	-50	10.60	19.25	8.65	1.00	285	Pegmatite	
including						10.60	15.00	4.40	1.34	376	Pegmatite	
						100.80	102.20	1.40	0.04	394	Aplite	
						103.70	104.20	0.50	0.04	339	Aplite	
						126.30	128.50	2.20	0.04	145	Pegmatite	
						130.25	133.25	3.00	0.03	153	Pegmatite	
						145.20	147.10	1.90	0.03	239	Pegmatite	
RD-24-03	411105	5763898	114.00	145	-50		PENDING RESULTS					
RD-24-04	411145	5763933	111.00	325	-70	16.40	20.20	3.80	1.11	163	Pegmatite	
including						18.00	19.20	1.20	2.12	55	Pegmatite	
						67.60	72.60	5.00	0.94	256	Pegmatite	
including						67.60	69.00	1.40	1.92	177	Pegmatite	
RD-24-04						103.80	108.00	4.20	2.24	170	Pegmatite	
RD-24-05	411188	5763963	51.00	315	-70	24.30	27.25	2.95	0.83	506	Pegmatite	
including						24.30	25.65	1.35	1.41	397	Pegmatite	
including						26.55	27.25	0.70	0.21	1066	Pegmatite	
RD-24-06	411244	5763876	69.00	315	-70	26.60	28.70	2.10	0.14	458	Pegmatite	
						46.60	49.80	3.20	1.08	273	Pegmatite	
including						48.00	48.80	0.80	2.41	278	Pegmatite	
						56.60	63.30	6.70	2.16	81	Pegmatite	

Dellis de	UTM NA	D 83 ZN18	Length	Azimuth	Dip	From	То	Interval**	Li ₂ O	T- 0	Little also me	
Drillhole										Ta₂O₅ ppm	Lithology	
	Easting	Northing	(m)	(°)	(°)	(m)	(m)	(m)	(%)	(g/t)		
RD-24-07	411163	5763819	66.00	315	-70	3.60	4.30	0.70	0.04	2009	Aplite	
in alvedina						17.80	30.00	12.20	1.66	180	Pegmatite	
including						22.50	30.00	7.50	2.34	153	Pegmatite	
						50.90	52.40	1.50	0.02	423	Pegmatite	
DD 04 00	111100	5700705		0.15		54.30	56.20	1.90	0.10	426	Pegmatite	
RD-24-08	411122	5763795	57.00	315	-70	16.90	25.90	9.00	1.55	105	Pegmatite	
including						19.50	24.00	4.50	2.41	90	Pegmatite	
DD 04 00						37.95	40.00	2.05	0.03	296	Pegmatite	
RD-24-09	411080	5763759	60.00	315	-70				3 RESULTS			
RD-24-10	411106	5763725	63.00	315	-70	3.55	10.50	6.95	2.21	111	Pegmatite	
including						5.00	9.00	4.00	2.76	104	Pegmatite	
RD-24-11	411139	5763690	66.00	315	-70				3 RESULTS			
RD-24-12	411176	5763719	102.00	315	-70	14.45	20.00	5.55	1.75	212	Pegmatite	
including	111000	5700700	07.00			17.45	18.95	1.50	2.67	133	Pegmatite	
RD-24-13	411302	5763798	97.00	290	-70	4.75	5.50		3 RESULTS		A I'1	
RD-24-14	411357	5763709	117.00	290	-70	4.75	5.50	0.75	0.05	365	Aplite	
						22.90	23.70	0.80	0.07	143	Aplite	
						36.00	40.40	4.40	0.08	87	Aplite	
						43.80	45.80	2.00	0.93	265	Pegmatite	
DD 04.45	111100	5700775	11100	222	70	55.30	57.00	1.70	1.02	294	Pegmatite	
RD-24-15	411438	5763775	114.00	300	-70	54.50	57.40	2.90	0.59	60	Pegmatite	
RD-24-15	444004	F7000F0	440.5	200	70	96.40	99.20	2.80	2.08	221	Pegmatite	
RD-24-16	411384	5763852	113.5	300	-70	F0 70	PENDING RESULTS					
RD-24-16A	411385	5763851	144.00	300	-70	53.70	56.70	3.00	0.01	162	Pegmatite	
						109.60	112.25	2.65	1.36	77	Pegmatite	
including						118.25	143.20	24.95	1.43	178	Pegmatite	
including						119.75	133.25	2.35	2.22	145 167	Pegmatite	
	411220	5763930	159.00	300	-70	139.25	141.60				Pegmatite	
RD-24-17	411320 411269	5764015	207.00	300	-70		PENDING RESULTS PENDING PESULTS					
RD-24-18	411347	5764073	186.00	245	-70		PENDING RESULTS PENDING RESULTS					
RD-24-19	411408	5763990	177.00	245	-70	82.10	122.50	40.40	1.31	235	Pegmatite	
RD-24-20	411400	3703990	177.00	243	-70		104.60			219	Pegmatite	
including including						82.10 112.10	118.10	22.50 6.00	2.12	73	Pegmatite	
moraumy						141.30	144.30	3.00	0.02	339	Pegmatite	
RD-24-21	411469	5763910	177.00	245	-70	120.40	144.70	24.30	1.16	145	Pegmatite	
including	711703	5705310	177.00	270		120.40	130.90	10.50	1.41	159	Pegmatite	
including						127.90	130.90	3.00	2.27	137	Pegmatite	
including						133.90	142.90	9.00	1.35	107	Pegmatite	
including						133.90	136.90	3.00	2.28	183	Pegmatite	
RD-24-22	411524	5763824	177.00	245	-70	128.20	159.80	31.60	1.30	142	Pegmatite	
including	711024	0,00024	177.00	270		129.70	155.20	25.50	1.59	130	Pegmatite	
RD-24-23	411605	5763887	18.00	245	-70	120.70	100.20	20.00	***	130	. 55.114110	
RD-24-23A	411606	5763887	153.00	245	-70	122.60	142.90	20.30	2.22	95	Pegmatite	
including	711000	0,00001	100.00	270		125.60	136.10	10.50	2.78	92	Pegmatite	
including						120.00	130.10	10.50	2.10	52	i ogmatite	

Drillhole	UTM NAD 83 ZN18		Length	Azimuth	Dip	From	То	Interval**	Li ₂ O	Ta₂O₅	Lithology	
	Easting	Northing	(m)	(°)	(°)	(m)	(m)	(m)	(%)	ppm (g/t)		
RD-24-24	411547	5763965	147.00	235	-70		PENDING RESULTS					
RD-24-25	411490	5764049	84.60	245	-70		PENDING RESULTS***					
RD-24-25A	411489	5764049	168.00	245	-70	PENDING RESULTS						
RD-24-26	411431	5764131	117.00	245	-70	PENDING RESULTS						
RD-24-27	411519	5764187	111.00	245	-70	PENDING RESULTS						
RD-24-28	411569	5764115	135.00	235	-70	PENDING RESULTS						

Figure 1: Location map of the Rose West Discovery



Results already been released on March 13th 2024.

Core length; the true thickness is between 80 to 95% of the core length.

^{***} Hole abandoned before reaching target length.

Figure 2: Location map of drillholes from the winter 2024 campaign




Figure 3: Cross section N5764100 view to the North




Figure 4: Cross section N5764000 view to the North




Figure 5: Cross section N5763900 view to the North




Figure 6: Cross section N5763800 view to the North





Figure 7: Cross section N5763700 view to the North



Quality assurance/quality control

Quality assurance and quality control procedures have been implemented to ensure best practices in sampling and analysis of the drill core samples. Standards, duplicate and blanks were regularly inserted into the sample stream. The drill core samples were delivered, in secure tagged bags to the ALS Minerals laboratory facility in Val-d'Or, Québec. The samples are weighed and identified prior to sample preparation. The samples are crushed to 70% minus 2 mm, then separated and pulverized to 85% passing 75 μ m. All samples are analyzed using sodium peroxide fusion ME-MS-89L, with full analysis for 52 elements. Value over 25,000 ppm Li were re-assays using Li-ICP-82b and value over 2,500 ppm Ta₂O₅ were re-assays using Ta-XRF10.

Qualified persons

Sebastien Perreault, P. Eng., is the qualified persons that have reviewed and approved the technical contents of this news release on behalf of the Corporation.

About Critical Elements Lithium Corporation

Critical Elements aspires to become a large, responsible supplier of lithium to the flourishing electric vehicle and energy storage system industries. To this end, Critical Elements is advancing the wholly owned, highpurity Rose Lithium-Tantalum project in Québec, the Corporation's first lithium project to be advanced within a land portfolio of over 1,050 km². On August 29, 2023, the Corporation announced results of a new Feasibility Study on Rose for the production of spodumene concentrate. The after-tax internal rate of return for the Project is estimated at 65.7%, with an estimated after-tax net present value of US\$2.2B at an 8% discount rate. In the Corporation's view, Québec is strategically well-positioned for US and EU markets and boasts good infrastructure including a low-cost, low-carbon power grid featuring 94% hydroelectricity. The project has received approval from the Federal Minister of Environment and Climate Change on the recommendation of the Joint Assessment Committee, comprised of representatives from the Impact Assessment Agency of Canada and the Cree Nation Government, received the Certificate of Authorization pursuant to section 164 of Québec's *Environment Quality Act* from the Québec Minister of the Environment, the Fight against Climate Change, Wildlife and Parks, and the project mining lease from the Québec Minister of Natural Resources and Forests under the Québec *Mining Act*.

For further information, please contact:

Jean-Sébastien Lavallée, P. Géo. Chief Executive Officer 819-354-5146 jslavallee@cecorp.ca www.cecorp.ca

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is described in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Cautionary statement concerning forward-looking statements.

This news release contains "forward-looking information" within the meaning of Canadian Securities legislation. Generally, forward-looking information can be identified by the use of forward-looking terminology such as "scheduled", "anticipates", "expects" or "does not expect", "is expected", "scheduled", "targeted", or "believes", or variations of such words and phrases or statements that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved". Forward-looking information contained herein include, without limitation, statements relating to the results and completion of the 2024 exploration program and its related objectives. Forward-looking information is based on assumptions management believes to be reasonable at the time such statements are made. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking information.

Although Critical Elements has attempted to identify important factors that could cause actual results to differ materially from those contained in forward-looking information, there may be other factors that cause results not to be as anticipated, estimated or intended. Factors that may cause actual results to differ materially from expected results described in forward-looking information include, but are not limited to: final and complete results of the Corporation's 2023-2024 exploration program and effects on the Corporation's stated objectives, as well as those risk factors set out in the Corporation's Management Discussion and Analysis for its most recent quarter ended November 30, 2023 and other disclosure documents available under the Corporation's SEDAR profile. Forward-looking information contained herein is made as of the date of this news release and Critical Elements disclaims any obligation to update any forward-looking information, whether as a result of new information, future events or results or otherwise, except as required by applicable securities laws.